EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("10648262").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2007/10/16 12:52
L1	0	("templatesamevariablesametag").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2007/10/16 12:55
S16	27	S15 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 12:56
S13	95	(variable same "document template") & database	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 13:13
L6	0	L5 and (character$1 with train$1 with variable$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 13:15
L5	60	L4 and (data with variable$1 with tag$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 13:15
L9	4	("2002/0169803").URPN.	USPAT	OR	ON	2007/10/16 13:42
L10	46	L2 and (DTD and (SGML or XML))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:11
L11	44	L10 and (modif$7 or edit$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:12
L4	208	L3 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:12
L3	467	L2 and (modif$7 or edit$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:12
L13	1	("2003/0192009").URPN.	USPAT	OR	ON	2007/10/16 14:28
L12	30	L11 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:37

EAST Search History

L17	9	interface same (structure$1 NEAR3 document$1) same (variable$1 same tag$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:38
L16	0	L14 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:38
L15	2953	"L15" and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:38
L14	5	interface same (structure$1 NEAR3 document$1) same (variable$1 with tag$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:41
L20	0	template$1 same (variable$1 with tag$1) same (character$1 with variable41)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:43
L22	11	interface and template$1 same ((variable$1 with tag$1) and (character$1 with variable$1))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:44
L19	0	interface and template$1 same (variable$1 with tag$1) and (character$1 with variable41)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:44
L18	3	L17 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 14:44
L24	5	("6070175").PN. OR ("6282539"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/16 15:05
L23	8	L22 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 15:06

L26	72	("5008853" | "5267155" | "5313394" | "5706452" | "5727156" | "5732219" | "5794257" | "5802299" | "5835712" | "5835918" | "5838918" | "5845299" | "5848248" | "5848271" | "5852717" | "5860073" | "5864871" | "5870552" | "5890170" | "5895454" | "5897622" | "5911145" | "5918010" | "5920861" | "5937160" | "5940614" | "5940834" | "5945989" | "5948061" | "5949419" | "5949876" | "5956720" | "5956736" | "5974443" | "5978828" | "5982365" | "5983227" | "5987480" | "6012071" | "6014634" | "6023715" | "6026433" | "6052710" | "6108673" | "6269403" | "6282539" | "6301586" | "6304886" | "6308188" | "6330575").PN. OR ("6684369").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/16 15:32
L25	4	L24 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 15:32
L28	157	("5355472" | "5367621" | "5455948" | "5530852" | "5572643" | "5623656").PN. OR ("5835712"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/16 16:18
L27	69	L26 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:19
L31	2492	L30 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:22
L30	3807	715/513	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:22
L29	155	L28 and (@ad<"20020830" or @rlad<"20020830")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:22
L32	0	L31 and (template$1 same ((variable$1 with tag$1) and (character$1 with variable41)))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:23

EAST Search History

L21	0	template$1 same ((variable$1 with tag$1) and (character$1 with variable41))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:23
L33	16	L31 and (templat$1 same variable$1 same tag$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:24
L2	498	templat$1 same variable$1 same tag$1	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/10/16 16:24

P⊛RTAL
USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

structure tag   **SEARCH**

THE ACM DIGITAL LIBRARY

⬤ Feedback Report a problem Satisfaction survey

Terms used: **structure tag**   Found **94,196** of **212,795**

Sort results by | relevance ▾ | ◆ Save results to a Binder | Try an Advanced Search
Display results | expanded form ▾ | ? Search Tips | Try this search in The ACM Guide
| | ☐ Open results in a new window |

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▬ ▬ ■ ■

1 Computing Architectural Vulnerability Factors for Address-Based Structures ■

Arijit Biswas, Paul Racunas, Razvan Cheveresan, Joel Emer, Shubhendu S. Mukherjee, Ram Rangan

May 2005 **ACM SIGARCH Computer Architecture News , Proceedings of the 32nd annual international symposium on Computer Architecture ISCA '05**, Volume 33 Issue 2

Publisher: IEEE Computer Society, ACM Press

Full text available: 🅰 pdf(199.24 KB)   Additional Information: full citation, abstract, cited by, index terms

Processor designers require estimates of the architectural vulnerability factor (AVF) of on-chip structures to make accurate soft error rate estimates. AVF is the fraction of faults from alpha particle and neutron strikes that result in user-visible errors. This paper shows how to use a performance model to calculate the AVF of address-based structures, using a data cache, a data translation buffer, and a store buffer as examples. We describe how to perform a detailed breakdown of lifetime compo ...

2 Data engineering for life sciences: Automatic composite wrapper generation for semi- ■
structured biological data based on table structure identification

Liangyou Chen, Hasan M. Jamil, Nan Wang

June 2004 **ACM SIGMOD Record**, Volume 33 Issue 2

Publisher: ACM Press

Full text available: 🅰 pdf(2.00 MB)   Additional Information: full citation, abstract, references, citings

Biological data analyses usually require complex manipulations involving tool applications, multiple web site navigation, result selection and filtering, and iteration over the internet. Most biological data are generated from structured databases and by applications and presented to the users embedded within repeated structures, or tables, in HTML documents. In this paper we outline a novel technique for the identification of table structures in HTML documents. This identification technique is ...

3 A functional approach to generation with TAG   ■
Kathleen F. McCoy, K. Vijay-Shanker, Gijoo Yang
June 1992 **Proceedings of the 30th annual meeting on Association for Computational Linguistics**
Publisher: Association for Computational Linguistics

Full text available: 🅰 pdf(807.91 KB)
                                Additional Information: full citation, abstract, references, citings
📑 Publisher Site